

# Leica Zeno GIS Equipment List



- when it has to be **right**

**Leica**  
Geosystems

# Table of Contents

---

<b>Leica GNSS/GIS Smart Antennas</b>		<b>3</b>
<b>1</b>	<b>Leica Zeno FLX100 Smart Antenna</b>	<b>3</b>
1.1	Leica Zeno FLX100 Smart Antenna	3
1.2	Accessories FLX100	3
<b>2</b>	<b>Leica Zeno FLX100 plus Smart Antenna</b>	<b>3</b>
2.1	Leica Zeno FLX100 plus Smart Antenna	3
2.2	Accessories FLX100 plus	4
<b>3</b>	<b>Leica GG04 plus Zeno Smart Antenna</b>	<b>5</b>
3.1	Leica GG04 plus Zeno Smart Antenna	5
3.2	Upgrade Options	5
<b>4</b>	<b>Accessory for GG04 plus Smart Antenna</b>	<b>6</b>
4.1	Battery	6
4.2	Battery Chargers	6
4.3	Universal Pole Holders	6
4.4	Data Cable	6
4.5	Transport Container	6
4.6	Poles	6
<b>Upgrade Options</b>		<b>7</b>
<b>5</b>	<b>Hardware upgrade option for GG04</b>	<b>7</b>
<b>6</b>	<b>Upgrade options for GG04 plus</b>	<b>7</b>
<b>Rugged Tablets</b>		<b>8</b>
<b>7</b>	<b>Rugged Android Tablet</b>	<b>8</b>
7.1	Leica Zeno Tab 2	8
7.2	Accessories for Leica Zeno Tab 2	8
<b>Leica Zeno Software</b>		<b>9</b>
<b>8</b>	<b>Software</b>	<b>9</b>
8.1	Leica Zeno Mobile for Android smartphones and tablets	9
8.2	Leica Zeno Connect	9
<b>Leica GNSS/GIS Rover Packages</b>		<b>10</b>
<b>9</b>	<b>Leica GNSS/GIS Rover Packages with Leica Zeno Mobile/Connect</b>	<b>10</b>
9.1	Leica Zeno Packages for FLX100	10
9.2	Leica Zeno Packages for FLX100 plus	10
9.3	Leica Zeno Packages for GG04 plus	11
<b>Care Packages</b>		<b>12</b>
<b>10</b>	<b>Customer Care Packages</b>	<b>12</b>
<b>Trademarks</b>		<b>13</b>
<b>11</b>	<b>Trademarks</b>	<b>13</b>
<b>Suggested Packages</b>		<b>14</b>
<b>12</b>	<b>GG04 plus Tablet Solution (6015434)</b>	<b>14</b>
<b>13</b>	<b>FLX100 plus Pole Start Package (6017823)</b>	<b>15</b>

# Leica GNSS/GIS Smart Antennas

## 1 Leica Zeno FLX100 Smart Antenna

### 1.1 Leica Zeno FLX100 Smart Antenna



915 866	<b>FLX100</b>	Leica Zeno FLX100 smart antenna including multi-constellation support (GPS, Glonass, Galileo and BeiDou). Comes with power adapter, Type-C charging cable, USB A to USB C cable and Arm/Belt pouch. The FLX100 is supported by Zeno Mobile and Zeno Connect (for 3rd party applications).
---------	---------------	---

### 1.2 Accessories FLX100



915 867	<b>AZ219</b>	<b>Pole Mount to attach FLX100 with pole</b> 5/8 pole mount to attach a FLX100 to a Leica GNSS pole.
921 109	<b>AZ222</b>	<b>Arm/Belt pouch for FLX100</b> The arm/belt carry pouch allows to carry the FLX100 receiver on your waist or on your arm.
915 868	<b>AZ220</b>	<b>Universal Handheld Tray for FLX100</b> Universal Handheld Tray for Leica Zeno FLX100 Smart Antenna. Build your own GNSS-handheld by combining your smartphone/tablet sized up to 8" (height range 129 mm - 182 mm) with the FLX100. Please refer to our documentation for supported mobile devices. For tablet usage, add AZ224 Handstrap tether for Tablets.
948 729	<b>AZ224</b>	<b>Handstrap tether for 8"- 12.9" tablets</b> Needed to attach tablets on AZ220 or AZ225 Universal Handheld Tray for Leica Zeno FLX Smart Antenna.
917 860	<b>AZ221</b>	<b>Softbag for FLX100</b> Softbag for FLX100 for transportation and protection against dirt - includes belt loop.

## 2 Leica Zeno FLX100 plus Smart Antenna

### 2.1 Leica Zeno FLX100 plus Smart Antenna



958 981	<b>FLX100 plus</b>	Leica Zeno FLX100 plus Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). New variant, capable of connecting to Android, Windows and Apple devices. Comes with power adapter, USB-C charging cable, USB-C/USB-A cable and AZ222 Arm/Belt pouch for FLX100 (plus). The FLX100 plus is supported by Zeno Mobile and Zeno Connect (for 3rd party applications).
---------	--------------------	---

## 2.2 Accessories FLX100 plus



915 867	<b>AZ219</b>	<b>Pole Mount to attach FLX100 plus with pole</b> 5/8 pole mount to attach a FLX100 plus to a Leica GNSS pole.
921 109	<b>AZ222</b>	<b>Arm/Belt pouch for FLX100 plus</b> The arm/belt carry pouch allows to carry the FLX100 plus receiver on your waist or on your arm.
915 868	<b>AZ220</b>	<b>Universal Handheld Tray for FLX100 plus</b> Universal Handheld Tray for Leica Zeno FLX100 plus Smart Antenna. Build your own GNSS-handheld by combining your smartphone/tablet sized up to 8" (height range 129 mm - 182 mm) with the FLX100 plus. Please refer to our documentation for supported mobile devices. For tablet usage, add AZ224 Handstrap tether for Tablets.
948 729	<b>AZ224</b>	<b>Handstrap tether for 8"- 12.9" tablets</b> Needed to attach tablets on AZ220 or AZ225 Universal Handheld Tray for Leica Zeno FLX100 plus Smart Antenna.
917 860	<b>AZ221</b>	<b>Softbag for FLX100 plus</b> Softbag for FLX100 plus for transportation and protection against dirt - includes belt loop.

### 3 Leica GG04 plus Zeno Smart Antenna


#### 3.1 Leica GG04 plus Zeno Smart Antenna




867 128 **GG04 plus PROF** GG04 plus Professional. GPS&Glonass Multi-Frequency GNSS smart antenna with RTK processing kernel, 20 Hz, 555 channels, upgradeable options, raw data logging support & NMEA streaming. A Zeno Connect license is already included with the GG04 plus in order to use the antenna on Android/iOS mobile devices (smartphones/tablets) via Zeno Connect from the Google Play Store or Apple App Store (iOS).

	GG04 plus PROF (867 128)
Frequencies	Multi-Frequency
Accuracy RTK	1 cm + 1 ppm
Accuracy Post-Processed	1 cm + 1 ppm
GLONASS capable	●
Galileo capable	○
BeiDou capable	○
SmartLink capable	○
Integrated GNSS receiver & antenna	●
Integrated SBAS	●
Channels	555
NMEA & Android Location Service output (via Zeno Connect)	●
additional BT port for NMEA GNSS metadata	●
RTCM input	●
Raw Data Logging	●
iOS, Android, Windows support	●

- Standard
- Optional

 GG04 plus is supported in Zeno Field 3.6 onwards, Zeno Mobile 1.9 onwards and Zeno Connect 3.0 onwards.

#### 3.2 Upgrade Options

 For software & tracking upgrade options please refer to "6 Upgrade options for GG04 plus".

## 4 Accessory for GG04 plus Smart Antenna

### 4.1 Battery



772 806	<b>GEB212</b>	Lithium-Ion battery, 7.4V/2.6Ah, rechargeable.
---------	---------------	--

### 4.2 Battery Chargers



799 185	<b>GKL311</b>	Single-bay Charger Professional 3000. Charger for one Li-Ion battery (GEB211, GEB212, GEB221, GEB222, GEB241, GEB242 and GEB311), including AC/DC adaptor and cigarette lighter cable.
---------	---------------	--

799 187	<b>GKL341</b>	Multi-bay Charger Professional 5000. Charges up to 4 batteries (GEB211, GEB212, GEB221, GEB222, GEB241, GEB242 and GEB311), including power cable.
---------	---------------	--



734 389	<b>GDC221</b>	Car adapter for the GKL341 charger. Allows the use of the GKL341 with a cigarette lighter; 12V/24V DC/DC converter. Can also be used to power CS15 field controller directly from a cigarette lighter.
---------	---------------	--

### 4.3 Universal Pole Holders



854 153	<b>UVPMSPH</b>	Universal Pole Mount small Smartphones Pole mount to attach a smartphone (up to 3.25"/8 cm phone width) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	---

857 351	<b>UVPMLPH</b>	Universal Pole Mount large Smartphones Pole mount to attach a smartphone (3" - 4.5"/8-11.5 cm phone width) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	--

857 383	<b>UVPMLTA</b>	Universal Pole Mount large Tablets Pole mount to attach a tablet (9 - 10" screen) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	---

854 154	<b>UVPMSTA</b>	Universal Pole Mount for small Tablets to attach a tablet (7-8" screen) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	--

### 4.4 Data Cable



733 282	<b>GEV162</b>	Data transfer cable 2.8 m.
---------	---------------	----------------------------

767 899	<b>GEV234</b>	Data transfer cable, 2 m, connects GG04 plus to USB.
---------	---------------	--

### 4.5 Transport Container



855 306	<b>GVP734</b>	Small hard container for GG04 plus.
---------	---------------	-------------------------------------

873 933	<b>GVP738</b>	Hard container for Leica Zeno GG04 plus Rover, to fit Leica Zeno Tab and Leica Zeno GG04 plus in one container.
---------	---------------	---

### 4.6 Poles



768 226	<b>GLS13</b>	Telescopic aluminium GNSS pole with 5/8" screw. Snap locks at 1.80m and 2.00m. Includes circular bubble.
---------	--------------	--

752 292	<b>GLS30</b>	Telescopic carbon GNSS pole with 5/8" screw. Snap locks at 1.80m and 2.00m. Includes circular bubble.
---------	--------------	---

# Upgrade Options

## 5 Hardware upgrade option for GG04

---

864 664	<b>Service-Upgradekit</b>	Upgradekit GG04 to GG04 plus (Service) Hardware upgrade to enable iOS support and multiple Bluetooth connections at once (required for example for Collector for ArcGIS high accuracy release).
---------	---------------------------	--

---

## 6 Upgrade options for GG04 plus

---

844 248	<b>GG04 plus GLO</b>	GG04 Option to upgrade the GG04 plus to track Glonass.
844 304	<b>GG04 plus BEI</b>	GG04 Option to upgrade the GG04 plus to track Beidou.
844 306	<b>GG04 plus GAL</b>	GG04 Option to upgrade the GG04 plus to track Galileo.
844 307	<b>GG04 plus MULTIRTK</b>	Upgrade option to track multiple signals from all activated satellite systems & RTK processing kernel activation.
5307067	<b>GG04 plus 1 YR SMARTLINK SERVICE</b>	GG04 plus upgrade to receive TerraStar C Pro corrections via L-Band to achieve accuracies of about 10 cm. Service valid for 1 year. Multi-Frequency option required.
5307119	<b>GG04 plus 1 MTH SMARTLINK SERVICE TRIAL</b>	GG04 plus trial upgrade to receive TerraStar C Pro corrections via L-Band to achieve accuracies of about 10 cm. Service valid for one month. Maximum 2 renewals allowed. Multi-Frequency option required.

---



The SmartLink service contract (i.e. TerraStar C Pro corrections) automatically renews every year. There is no need to re-order the service for continuation.

---

# Rugged Tablets

## 7 Rugged Android Tablet

### 7.1 Leica Zeno Tab 2



#### Field Controller

887 520	<b>ZENO TAB 2</b>	<b>Leica Zeno Tab 2</b> Leica Zeno Tab 2. 8" screen, 4 GB RAM, 32GB Flash, WiFi, Bluetooth, USB-C plug, MicroSD card slot, 13 MPix Camera with flash, 5 MPix Camera front, 4G LTE module, GPS, BDS, GLONASS, IP67 environmental protection. Includes 1 Li-Ion battery, 1 USB-C charging cable with EU/UK/US/AUS power adapter, and Quick Guide.
---------	-------------------	--

#### Field Controller packages

6015434	<b>GG04 plus Tablet Solution 2</b>	The GG04 plus Tablet Solution 2 package is a ready to start pack that includes: a Leica Zeno Tab 2 Android tablet, a GG04 plus Professional smart antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, Hard Container for Zeno GG04 plus Rover, Zeno Tab 2 pole mount, a GEB212 battery and a GLK311 battery charger.
---------	------------------------------------	--

### 7.2 Accessories for Leica Zeno Tab 2



#### Transport Container

873 933	<b>GVP738</b>	Hard container for Leica Zeno GG04 plus Rover, to fit Leica Zeno Tab and Leica Zeno GG04 plus in one container.
---------	---------------	---



#### Pole Mount

891 196	<b>AZC002</b>	Mount to attach Leica Zeno Tab 2 to a Leica GNSS pole
---------	---------------	---

887 521	<b>AZC001</b>	Clamp to attach Leica Holder to a Leica GNSS pole
---------	---------------	---



6009135	<b>AZ300</b>	Mount and clamp to attach the Zeno Tab 2 to a Leica GNSS pole
---------	--------------	---


#### Battery

907 285	<b>GEB256</b>	Spare Li-Ion battery BA820 for Zeno Tab 2
---------	---------------	---



#### Protection Foil

947 572	<b>SPF09</b>	Protection Foil for Zeno Tab 2
---------	--------------	--------------------------------





# Leica Zeno Software

## 8 Software

### 8.1 Leica Zeno Mobile for Android smartphones and tablets

---

871 194	<b>GSW1326</b>	<b>Leica Zeno Mobile 'Standard' for Android phones and tablets.</b> Leica Zeno Mobile 'Standard' for Android phones and tablets is an easy to use asset collection software. Protected.
871 195	<b>GSW1327</b>	<b>Leica Zeno Mobile 'Professional' for Android phones and tablets.</b> Leica Zeno Mobile 'Professional' for Android phones and tablets is an easy to use asset collection software. The 'Professional' Edition provides in addition e.g. multiple feature editing and cable locator support. Protected.
871 196	<b>GSW1328</b>	<b>Leica Zeno Mobile Demo for Android phones and tablets.</b> Leica Zeno Mobile Demo for Android phones and tablets is an easy to use asset collection software. The Demo Edition allows demonstration of Zeno Mobile for sales reps and includes all features of the Professional Edition. Protected. 1-year time limited.
871 198	<b>GSW1329</b>	<b>Leica Zeno Mobile Eval for Android phones and tablets.</b> Leica Zeno Mobile Eval for Android phones and tablets is an easy to use asset collection software. The Evaluation Edition allows customers to evaluate all features and functions of Zeno Mobile. Protected. 30 days time limited.
871 200	<b>GSW1465</b>	<b>Upgrade Leica Zeno mobile for Android phones and tablets Standard to Professional.</b> Upgrade article to convert a Zeno Mobile for Android phones and tablets 'Standard' license into a 'Professional' license.


---

### 8.2 Leica Zeno Connect

---

788 866	<b>GSW998</b>	<b>Leica Zeno Connect on CS25 plus.</b> Leica Zeno Connect on CS25 plus is a utility to configure the new Leica Zeno smart antennas and to stream NMEA. Leica Zeno Connect on CS25 plus is supporting the CS25 plus. Protected.
788 869	<b>GSW1001</b>	<b>Leica Zeno Connect on CS25 Demo.</b> Demo license which allows to demonstration of Zeno Connect on CS25. 1-year expiry. Protected.

---

 Zeno Connect for Android & iOS can be downloaded in the according App Store. All other Leica software has to be purchased and downloaded from myWorld.

---

# Leica GNSS/GIS Rover Packages

## 9 Leica GNSS/GIS Rover Packages with Leica Zeno Mobile/Connect

### 9.1 Leica Zeno Packages for FLX100

#### Leica Zeno FLX100 Handheld Packages

6015968	<b>FLX100 Handheld Start package with Zeno Mobile</b>	GNSS Handheld Starter package that includes: Leica Zeno FLX100 smart antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). power adapter, Typ C charging cable, USB C to USB A cable, AZ222 Arm/Belt pouch for FLX100, AZ221 Softbag for FLX100, AZ220 Universal handheld tray and Zeno Mobile Professional with 1 year Software Maintenance.
6015969	<b>FLX100 Handheld Start package for 3rd party</b>	GNSS Handheld Starter package that includes: Leica Zeno FLX100 smart antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). power adapter, Typ C charging cable, USB C to USB A cable, AZ222 Arm/Belt pouch for FLX100, AZ221 Softbag for FLX100, AZ220 Universal handheld tray. Install Zeno Connect from the app stores in order to use 3rd party software.

#### Leica Zeno FLX100 Pole Packages

6015970	<b>FLX100 Pole Start package with Zeno Mobile</b>	Pole Starter pack that includes: Leica Zeno FLX100 Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou), power adapter, Typ C charging cable, USB C to USB A cable, AZ222 Arm/Belt pouch for FLX100, AZ221 Softbag for FLX100, Zeno Tab 2 Android tablet, AZ300 Pole Mount Kit for Zeno Tab 2, GLS30 GPS telescopic carbon-fibre pole, AZ219 5/8 pole mount to attach a FLX100 to a Leica GNSS pole, Pole Mount Kit for Zeno Tab 2, Zeno Mobile Professional with 1 year Software Maintenance.
6015971	<b>FLX100 Pole Start package for 3rd party</b>	Pole Starter pack that includes: Leica Zeno FLX100 Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou), power adapter, Typ C charging cable, USB C to USB A cable, AZ222 Arm/Belt pouch for FLX100, AZ221 Softbag for FLX100, Zeno Tab 2 Android tablet, AZ300 Pole Mount Kit for Zeno Tab 2, GLS30 GPS telescopic carbon-fibre pole, AZ219 5/8 pole mount to attach a FLX100 to a Leica GNSS pole, Pole Mount Kit for Zeno Tab 2. Install Zeno Connect from the app stores in order to use 3rd party software.

### 9.2 Leica Zeno Packages for FLX100 plus

#### Leica Zeno FLX100 plus Handheld Packages

6017821	<b>FLX100 plus Handheld Start package with Zeno Mobile</b>	FLX100 plus Handheld Starter package that includes: Leica Zeno FLX100 plus Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). Comes with power adapter, USB-C charging cable, USB-C/USB-A cable, AZ222 Arm/Belt pouch for FLX100 (plus), AZ221 Softbag for FLX100 plus, AZ220 Universal Handheld Tray for FLX100 plus and Zeno Mobile Professional with 1 year Software Maintenance.
6017822	<b>FLX100 plus Handheld Start package for 3rd party</b>	FLX100 plus Handheld Starter package for 3rd party software that includes: Leica Zeno FLX100 plus Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). Comes with power adapter, USB-C charging cable, USB-C/USB-A cable, AZ222 Arm/Belt pouch for FLX100 plus, AZ221 Softbag for FLX100 plus, AZ220 Universal Handheld Tray for FLX100 plus. Install Zeno Connect from the app stores in order to use 3rd party software.

#### Leica Zeno FLX100 plus Pole Packages

6017823	<b>FLX100 plus Pole Start package with Zeno Mobile</b>	FLX100 plus Pole Starter package with Zeno Mobile that includes: Leica Zeno FLX100 plus Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). Comes with power adapter, USB-C charging cable, USB-C/USB-A cable, AZ222 Arm/Belt pouch for FLX100 plus, AZ221 Softbag for FLX100 plus, Zeno Tab 2 Android tablet, AZ300 Pole Mount Kit for Zeno Tab 2, GLS30 GNSS telescopic pole, AZ219 5/8 pole mount to attach a FLX100 plus to a Leica GNSS pole, Zeno Mobile Professional with 1 year Software Maintenance.
---------	--	--

6017824	<b>FLX100 plus Pole Start package for 3rd party</b>	FLX100 plus Pole Starter package for 3rd party software that includes: Leica Zeno FLX100 plus Smart Antenna including multi-constellation support (GPS, Glonass, Galileo and Beidou). Comes with power adapter, USB-C charging cable, USB-C/USB-A cable, AZ222 Arm/Belt pouch for FLX100 plus, AZ221 Softbag for FLX100 plus, Zeno Tab 2 Android tablet, AZ300 Pole Mount Kit for Zeno Tab 2, GLS30 GNSS telescopic pole, AZ219 5/8 pole mount to attach a FLX100 plus to a Leica GNSS pole. Install Zeno Connect from the app stores in order to use 3rd party software.
---------	---	---

### 9.3 Leica Zeno Packages for GG04 plus

#### Leica Zeno Mobile Packages for GG04 plus

6015434	<b>GG04 Plus Tablet Solution 2</b>	The GG04 plus Tablet Solution 2 package is a ready to start pack that includes: a Leica Zeno Tab 2 Android tablet, a GG04 plus Professional smart antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, Hard Container for Zeno GG04 plus Rover, Zeno Tab 2 pole mount, a GEB212 battery and a GLK311 battery charger.
6014276	<b>LZGGZM</b>	The GG04 plus Zeno Mobile package is a ready to start pack that includes: a GG04 plus Professional smart antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, a Hard Container for Zeno GG04 plus Rover, a GEB212 battery and a GLK311 battery charger.

# Care Packages

## 10 Customer Care Packages

---



---

A wide selection of comprehensive Customer Care Packages (CCPs) is available bundling Hardware Maintenance, Software Maintenance, Customer Support and Extended Warranty.  
For more information about the CCP offering in your country please contact your local Leica Geosystems organization or distribution partner.

---

# Trademarks

## 11 Trademarks

---

ArcPad™ is a registered trademark of Environmental System Research Institute Inc. Redlands, USA.

ESRI word mark is owned by ESRI Inc, USA.

The *Bluetooth*® word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Leica Geosystems AG is under license.

SD is a trademark of the SD Card Association.

Microsoft, Windows® and the Windows logo are either registered trademarks or trademarks of Microsoft Corporation in the United States and / or other countries.

Android™ is a trademark of Google Inc.

Apple is a trademark of Apple Inc., registered in the U.S. and other countries.

IOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.


Other trademarks and trade names are those of their respective owners.

---

# Suggested Packages

## 12 GG04 plus Tablet Solution (6015434)

---



# 13 FLX100 plus Pole Start Package (6017823)

---



Hexagon is a global leader in digital reality solutions, combining sensor, software and autonomous technologies. We are putting data to work to boost efficiency, productivity, quality and safety across industrial, manufacturing, infrastructure, public sector, and mobility applications.

Our technologies are shaping production and people-related ecosystems to become increasingly connected and autonomous – ensuring a scalable, sustainable future.

Hexagon's Geosystems division provides a comprehensive portfolio of digital solutions that capture, measure, and visualise the physical world and enable data-driven transformation across industry ecosystems.

Hexagon (Nasdaq Stockholm: HEXA B) has approximately 22,000 employees in 50 countries and net sales of approximately 4.3bn EUR. Learn more at [hexagon.com](https://hexagon.com) and follow us @HexagonAB.



Illustrations, descriptions and technical specifications are not binding and may change.  
Printed in Switzerland - Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2022.  
776619 - 7.1.0en - VII.22

**Leica Geosystems AG**  
Heinrich-Wild-Strasse  
CH-9435 Heerbrugg  
Switzerland  
Phone +41 71 727 31 31  
[www.leica-geosystems.com](https://www.leica-geosystems.com)

- when it has to be **right**

**Leica**  
Geosystems